

Dr L H Hiranandani Hospital

Your Family Superspeciality Hospital

ISO 9001:2015 CERTIFIED



Winner of IMC Ramkrishna Bajaj National Quality Award 2008 & 2015

NABH ACCREDITED HOSPITAL



APQO Global Performance Excellence Best In Class Award 2009 & 2016



Hiranandani
Hospital

June 28, 2018

To,

The Member – Secretary

Maharashtra Pollution Control Board,

Kalpataru Point 3rd & 4th Floor,

Sion Matunga Scheme Road No.8,

Sion – Circle, Sion (East), Mumbai – 400 022

Dear Sir,

Sub : Submission of Annual Report for the year 2017.

You are requested to update the Quantity for authorization in the following waste categories as per the annexure I of the Annual report attached for the year 2017.

Kindly do the needful and oblige.

Thanking you,

Sincerely,

For Dr L H Hiranandani Hospital

Dr. Sameer Kodkani

AGM – Healthcare



Alkhi
28/6/18
Maharashtra Pollution Control Board
Kalpataru Point, 3rd/4th Floor,
Sion Matunga Scheme, Road No. 8,
Opp. Sion Circle, Sion (East)
MUMBAI - 400 022
Phone : 24010137 4020187

Hillside Avenue, Hiranandani Gardens, Powai, Mumbai 400 076. Ph : 2576 3300/3333, Fax : 2576 3344 / 3311

website: www.hiranandanihospital.org

"To be the preferred choice for healing and good health"

Dr L H Hiranandani Hospital

Your Family Superspeciality Hospital

ISO 9001:2015 CERTIFIED



Winner of IMC Ramkrishna Bajaj National Quality Award 2008 & 2015

NABH ACCREDITED HOSPITAL



APQO Global Performance Excellence Best In Class Award 2009 & 2016



Hiranandani
Hospital

ANNEXURE - I

Monthly Break -up From January 2017 - December 2017

Sr.No	Month	Red Bag	Yellow Bag	Blue Bag	Black Bag
1	JANUARY	1656	2012	0	0
2	FEBRUARY	2740	2930	0	0
3	MARCH	2345	3106	0	0
4	APRIL	2544	2720	0	0
5	MAY	2140	1951	0	0
6	JUNE	1787	1664	0	0
7	JULY	3140	2588	0	0
8	AUGUST	2267	1898	0	0
9	SEPTEMBER	2574	2053	0	0
10	OCTOMBER	2620	2340	0	0
11	NOVEMBER	2621	2246	219	0
12	DECEMBER	2938	2603	146	0
	Total	29572	28111	365	0

Hillside Avenue, Hiranandani Gardens, Powai, Mumbai 400 076. Ph : 2576 3300/3333, Fax : 2576 3344 / 3311

website: www.hiranandanihospital.org

"To be the preferred choice for healing and good health"

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	DR. SUJIT CHATTERJEE
	(ii) Name of HCF or CBMWTF	:	DR. V.H. HIRANANDANI HOSP.
	(iii) Address for Correspondence	:	HILL SIDE AVENUE, HIRANANDANI GARDENS, POWAI -
	(iv) Address of Facility	:	MUMBAI - 400 076
	(v) Tel. No, Fax. No	:	022-25768311
	(vi) E-mail ID	:	sujit.chatterjee@hiranandanihospital.org
	(vii) URL of Website	:	www.hiranandanihospital.org
	(viii) GPS coordinates of HCF or CBMWTF	:	NA
	(ix) Ownership of HCF or CBMWTF	:	(State Government or <u>Private</u> or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation 806000264 No.: 30/08/16, valid up to 30/08/18
(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 30/08/2018	
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:..... 244
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry	:	761409940 - 31/03/2019
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	NA
	(ii) No of beds covered by CBMWTF	:	NA
	(iii) Installed treatment and disposal capacity of CBMWTF :	:	_____ Kg per day NIL
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day NIL
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 28,111 Kgs
		:	Red Category : 29,372 Kgs
		:	White: NIL
		:	Blue Category : 365 Kgs
		:	General Solid waste: NIL
5.	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	Size :	NA
		Capacity :	NA
	Provision of on-site storage :	(cold storage or any other provision)	

disposal facilities		Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:		NSA - - -	
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)			NSA
(iv) No of vehicles used for collection and transportation of biomedical waste	:				NSA
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Incineration Ash ETP Sludge	Quantity generated		Where disposed NSA
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:				NSA
(vii) List of member HCF not handed over bio-medical waste.					NSA
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		WE HAVE 'HOSPITAL INFECTION CONTROL COMMITTEE' (HICC) AND BMW MANAGEMENT POLICY			
7 Details trainings conducted on BMW					YES
(i) Number of trainings conducted on BMW Management.					TWICE A YEAR
(ii) number of personnel trained					212
(iii) number of personnel trained at the time of induction					ALL
(iv) number of personnel not undergone any training so far					NIL
(v) whether standard manual for training is available?					YES
(vi) any other information					-
8 Details of the accident occurred during the year					NIL

	(i) Number of Accidents occurred		NIL
	(ii) Number of the persons affected		NIL
	(iii) Remedial Action taken (Please attach details if any).		NA
	(iv) Any Fatality occurred, details.		NIL
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)	

Certified that the above report is for the period from

JANUARY 2017 TO DECEMBER 2017

Date: 27/06/2018
Place: MUMBAI

Name and Signature of the Head of the Institution


